

天空能源 (洛阳) 有限公司

SKY ENERGY (LUOYANG) CO.,LTD

Dedicated to environment

Benefit human beings.



NAVIGATION

MENU

Homepage

About us

News

Products

Careers

Service

中文版

Navigation

MORE

- Products
- Power Battery
- Safe Suggestion
- Using Guide



Contact us

Sky Energy (luoyang)
CO., LTD

Add: No.36 Binhe Road, Luoyang
National New&High Tech Industry
Development Zone, Henan China
471003

Tel: +86-379-65196060


Products

65196062


Fax: +86-379-65196088

Email: eric@skyenergy.com.cn

SE100AHA



SE100AHA DISCHARGE AT TEMPERATURE OF 25°C



MODEL:SE100AHA			
Nominal Capacity	100Ah		
Energy Density	105Wh/kg@0.1C		
Operating Voltage	Charge	3.6V	
	Discharge	2.0V	
Max Charge Current	≤3CA		
Max Discharge Current	Constant Current	≤4CA	
	Impulse Current	≤12CA	
Standard Charge /Discharge Current	0.3CA		
Cycle Life	80DOD%	≥2000Times	
	70DOD%	≥3000Times	
Temperature Durability Of Case	≤170℃	Long Temperature Durability	≤140℃
Operating Temperature	Charge	0℃~55℃	
	Discharge	-25℃~55℃	
Self-discharge Rate	≤3%(Monthly)		
Weight	3.1kg±0.1kg		

Back